

LUMI PRO PTS Series LED Post Top

Next-generation lighting for outdoor spaces.

Project:

QTY:

Email:

Phone:

Overview:

The PTS Series LED Post Top light is a modern LED solution for traditional post top lights which are a staple feature of any outdoor landscape or streetscape. When added to a park or walkway, this LED post top light illuminates landscape elements and improves visibility with the benefits of LED technology.



Highlights:

- UL cUL DLC certificate.
- IP65 driver, input voltage 100-277VAC.
- No UV or IR in the beam.
- Easy to install and operate.
- Energy saving, long lifespan.
- Light is soft and uniform, safe to eyes.
- Instant start, no flickering, no humming.
- Green and eco-friendly without mercury.
- Color-Tunable, can adjust CCT to 3000K, 4000K and 5000K.

LED Chip Info		Characteristics	
Watt Usage:	35-75W	Certifications:	UL, cUL and DLC premium
Color Temp:	3000K-5000K	Warranty:	5 year limited warranty. For terms visit www.poli-led.com/warranty
CRI:	>80Ra	Construction	
Efficacy:	135Lm/w	Operating Temp. Range:	-20°C~+40°C
Chip:	SMD2835	Housing:	Aluminum alloy
Beam Angle:	30-120°	Lens:	Clear glass
Lifetime:	>50,000 hours	IP rating:	65 rating
Driver Info			
Input Voltage:	120-277VAC		
Power Factor:	>90%		
Dimming Functions:	1-10V		



Model Number	Wattage	Total Lumen Output
1-PTS35-CCT	35W	4320.4 lm
1-PTS55-CCT	55W	6915.3 lm
1-PTS75-CCT	75W	9268.4 lm



UL Listed Product is certified by one of the world's most difficult quality control laboratories indicating superior performance and longevity.

5 year warranty we believe in our product quality and offer the warranty to prove it. Unlimited lifetime support is also included, call us anytime.

IP65 Rated Maximum protection against dust and water. Withstands all weather types with silicone sealed gaskets and tight manufacturing tolerances.

DLC Certified Product has been approved by a DLC laboratory conforming to their strict performance and energy efficiency standards.



ORDERING

Example Model Number: 1-PTS75-CCT


After selecting model number and filling out top right information, send completed PDF to sales@poliledsigns.com or your dedicated sales representative

1-PTS


Series	Watt	Color Temp.	Sensor	Beam angle	Finish	
1-PTS	35 35 watt	30K 3000K	S Photocell Sensor (Dusk-To-Dawn) MS Motion Sensor NS No Sensor	30 30 degrees	WH White	BK Black
	55 55 watt	40K 4000K		60 60 degrees	BR Bronze	
	75 75 watt	50K 5000K		90 90 degrees	SL Silver	
				120 120 degrees	CU Custom	

Photometric Data

1-PTS35-CCT





Illuminance at a Distance



Illuminance at a Distance

1-PTS55-CCT



Illuminance at a Distance

1-PTS75-CCT

